# Material Safety Data Sheet

### **General Information** Section 1

Manufacturer.

**HMIS Rating** 

夤

William Zinsser and Company, Inc.

HEALTH:

1

0

173 Belmont Drive

FLAMMABILITY:

Somerset, NJ 08875

0 REACTIVITY:

(732) 469-8100

Emergency Telephone: Chemtrec (800) 424-9300

Date: February 24, 2000

Product Name:

BULLS EYE 1-2-3

Product Codes:

2000, 2001, 2004, 2010, 2011, 2012, 2014

#### Section 2 **Hazardous Ingredients**

		OSHA	ACGIH
<b>Hazardous Component</b>	CAS#	PEL	TLV
Ethylene Glycol	107-21-1	N/E	100 mg/m³ (C)
Limestone	1317-65-3	15 mg/m³ *	10 mg/m³
Mica	12001-26-2	20 mppcf	$3 \text{ mg/m}^3 **$
Titanium Dioxide	13463-67-7	15 mg/m³ *	10 mg/m <sup>3</sup>

<sup>\*</sup> Total Dust

#### **Hazard Identification** Section 3

This material is paint primer. It is a stable, non-flammable, white **Emergency Overview:** flowable liquid with a flash point above 200° Fahrenheit.

### **Primary Routes of Exposure:**

Skin Contact Eye Contact

### **Potential Acute Health Effects:**

Eye:

May cause slight eye irritation.

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated

MSDS Code: 1-2-3 MSDS (2-25-00).rtf

Page 1 of 7 pages.

<sup>\*\*</sup> Respirable Dust Fraction C = Ceiling Value

**Skin:** May cause slight skin irritation in certain individuals. However, absorption through skin contact is not considered to be a significant route of exposure.

**Ingestion:** Ingestion not considered a significant route of exposure.

**Inhalation:** Inhalation not considered a significant route of exposure.

Potential Chronic Health Effects: None known.

Signs and Symptoms: N/A

(See also Sections 4, 8, and 11 for related information)

### **Section 4 First Aid Measures**

Eye contact: Flush eye with water for 15 minutes. If symptoms persist, consult a physician.

Skin contact: Wash with soap and water. If symptoms occur, consult a physician.

**Ingestion:** Swallowing less than an ounce is not expected to cause significant harm. For larger amounts, do not induce vomiting, give one or two glasses of water to drink and call a physician or poison control center.

**Inhalation:** No specific treatment is necessary since this material is not likely to be hazardous by inhalation. If exposed to excessive levels of vapor, remove person to fresh air. Seek medical attention if symptoms develop.

**Note to Physician:** According to the Federal Hazardous Substance Act this material is not considered to be a primary eye irritant or a primary dermal irritant, and it is not considered to be an acute oral toxin.

# Section 5 Fire Fighting Measures

Flash Point (method): > 200° F

Extinguishing Media: Foam, Alcohol Foam, CO<sub>2</sub> Dry Chemical, Water Fog.

**Protection of Firefighters:** No special protection required. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Fire and Explosion Hazards: This liquid material will not burn. However, the dried paint film may burn in a fire.

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated

MSDS Code: 1-2-3 MSDS (2-25-00).rtf Page 2 of 7 pages.

## Section 6 Accidental Release Measures

Clean Up Methods: Keep unnecessary people away. Contain spills with inert material (sand, earth, etc.) and transfer to containers for recovery or disposal. Keep spill out of sewer and open bodies of water. Floors may be slippery; care should be exercised to avoid falls.

(See also Section 8 for information on Exposure Controls and Personal Protective Equipment)

# Section 7 Handling and Storage

Handling:

Avoid contact with eyes, skin, and clothing.

Storage:

Keep from freezing. Keep container closed when not in use.

# Section 8 Exposure Controls / Personal Protection

**Engineering Controls:** 

If exposure conditions warrant, use local exhaust ventilation or general

dilution ventilation to reduce vapor concentrations.

### **Personal Protective Equipment (PPE):**

**Eye Protection:** 

Wear safety glasses, goggles, or face shield to prevent eye contact.

**Skin Protection:** 

Wear gloves to prevent prolonged skin contact.

**Respiratory Protection:** None required under normal intended use conditions. In areas of poor ventilation or if vapor exposure causes discomfort, wear NIOSH approved respirator with organic vapor cartridges.

**Protective Clothing:** For brief contact, no special precautions other than clean body-covering clothing should be needed. When prolonged or frequent, repeated contact with the material could occur, use protective clothing that is impervious to this material (such as tyvek).

General Hygiene Practices: Wash after handling. Prevent Eye contact. Avoid prolonged skin and inhalation contact. Wash thoroughly before handling food.

Section 9	Physical Data
-----------	---------------

Appearance:

White emulsion.

N/D: Not Determined

Odor:

Acrylic like odor.

**Physical State:** 

N/A: Not Applicable

Liquid

pH:

9.0 - 10.0

MSDS Code: 1-2-3 MSDS (2-25-00).rtf

N/E: Not Established N/R: Not Required

Est.: Estimated

**Boiling Point:** 

Approximately 212° F Melting Point:

Approximately 32° F

Vapor Pressure:

N/D

Vapor Density:

N/D

Viscosity:

3000 - 8000 cps (at 74° F)

Solubility in Water: Dilutable in water.

Specific Gravity (water = 1):

1.26 (10.5 lb/gal)

#### **Stability and Reactivity** Section 10

Stability:

This material is stable, not reactive.

Hazardous Polymerization:

Will not occur.

**Hazardous Decomposition Products:** 

None known.

**Conditions to Avoid:** 

None known.

Incompatibility:

None known.

#### **Toxicological Information** Section 11

This material is not considered a carcinogen by IARC or NTP and is not Carcinocenicity: regulated as a carcinogen by OSHA.

Target Organs Effected:

None known.

Eye Irritant: This material has been tested for primary eye irritation in accordance with the FHSA. This material is not considered to be a primary eye irritant.

This material has been tested for primary dermal irritation in accordance with the **Dermal Irritant:** FHSA. This material is not considered to be a primary dermal irritant.

This material has been tested for acute oral toxicity in accordance with the Inhalation Irritant: FHSA. This material is not considered to be an acute oral toxin.

(See also Section 15 for related information)

#### **Ecological Information** Section 12

Chemical Fate and Effects: No data available.

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated

MSDS Code: 1-2-3 MSDS (2-25-00).rtf

Page 4 of 7 pages.

# Section 13 Disposal Considerations

RCRA Hazardous Waste: No

Recommended Waste Disposal Method: This material is not considered hazardous waste under Federal Hazardous Waste Regulations (40CFR 261). However, state and local requirements for waste disposal may be more restrictive or otherwise differ from federal regulations. Chemical additions, processing or otherwise altering this material may render the waste management information presented in this MSDS incomplete, inaccurate or otherwise inappropriate. Consult all applicable federal, state, and local regulations regarding the proper disposal of this material.

# Section 14 Transportation Information

Regulated by the US Department of Transportation (DOT):

Not regulated.

**DOT Proper Shipping Name:** 

Paint Products

UN / NA Number: N/A

# Section 15 Regulatory Information

**CERCLA:** 

The Comprehensive Environmental Response Compensation and Liability Act of 1980 (CERCLA) requires notification to the National Response Center for releases of quantities of Hazardous Substances equal to or greater than the reportable quantities (RQs) in 40 CFR 302.4 (for CERCLA 102).

Components present in this product at a level which could require reporting under the statute are:

Chemical Name

CAS#

Maximum Concentration (Wt.

%)

Ethylene Glycol

107-21-1

3%

### SARA Title III, section 311/312:

The Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311 and 312).

Components present in this product at a level which could require reporting under the statute are:

Chemical Name

CAS#

Maximum Concentration (Wt.

%)

None

N/A

N/A

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated

MSDS Code: 1-2-3 MSDS (2-25-00).rtf

Page 5 of 7 pages.

Prepared By: Zinsser Health and Safety Manager, Regulatory Compliance Dept.

173 Belmont Drive Somerset, NJ 08875 (732) 469-8100

**Disclaimer:** William Zinsser Company, Inc. believes, to the best of its knowledge, information and belief, the information contained herein to be accurate and reliable as of the date of this material safety data sheet. However, because the conditions of handling, use, and storage of these materials are beyond our control, we assume no responsibility or liability for personal injury or property damage incurred by the use of these materials and make no warranty, expressed or implied, regarding the accuracy or reliability of the data or results obtained from their use. All materials may present unknown hazards and should be used with caution. The information and recommendations in this material safety data sheet are offered for the users' consideration and examination. It is the responsibility of the user to determine the final suitability of this information and data and to comply with all applicable international, federal, state, and local laws and regulations.

N/A: Not Applicable N/D: Not Determined N/E: Not Established N/R: Not Required Est.: Estimated